AREA WALLIGHTER ACCESSORIES

REFER TO ACCESSORY INDEX TO MATCH ACCESSORY WITH PRODUCT.
ILLUSTRATIONS SHOWN ARE TYPICAL REPRESENTATIONS.

LEGEND: ////////// = Accessory can be used.

INDEX	PRODUCT							
ORDERING NUMBER	Criterion Wallpack	Versaflood II	Wallighter 400	Wallighter 175 and 250 Cutoff	Wallmount 400	Wallmount 175		
INTERNAL GLARE CONTROL SHIELD								
IGS-WL175				///////				
MOUNTING BRACKET (For PE)								
MB-PECTL	///////	///////	///////	///////	///////	///////		
PHOTOELECTRIC CONTROL								
PEC0TL		//////	//////					
PEC1TL		//////	//////					
PEC5TL		//////	//////					
PHOTOELECTRIC CONTROL KIT								
PEK-120	//////			///////	///////	///////		
PEK-120SBW								
PEK-240	//////			///////	///////	///////		
PEK-277	//////			///////	///////	///////		
PEK-347	//////			///////	///////	///////		
POLE TOP ADAPTER (For PE Receptacle)								
PTA-PECTL	///////	///////	///////	///////	///////	///////		
POLYCARBONATE VANDAL SHIELD								
LVS-V2FWP		///////						
LVS-W40L001			///////					
LVS-W40L002			///////					
LVS-WMTS					///////			
LVS-WM7						///////		

LEGEND: ////////// = Accessory can be used.

INDEX	PRODUCT						
ORDERING NUMBER	Criterion Wallpack	Versaflood II	Wallighter 400	Wallighter 175 and 250 Cutoff	Wallmount 400	Wallmount 175	
SHORTING CAP							
SCCL-PECTL		//////	///////				
TOP AND SIDE VISOR							
TSVDB-V2F		///////					
TSVDB-WM7						///////	
TOP VISOR							
TVDB-V2F		///////					
TVAL-W40L			///////				
TVDB-W40L			///////				
TVGR-W40L			///////				
VANDAL RESISTANT BAND							
VRB-OWL							
WIRE GUARD							
WG-P4F		8					
WG-V2FWP		9					
WG-W40L			///////				
WG-WMTS					///////		
WG-WM7						///////	

NOTE: 8 = Flat Glass Only. See Floodlight Accessories; 9 = Prismatic Refractor Only; 10 = Wallighter 175 only.

CRITERION ACCESSORIES

- **ELS-CCDX**
- **ELS-CCSX**
- **ELS-CTDX**
- **ELS-CTMX**
- **ELS-CTSX**



ELS-CCDX



ELS-CCMX



ELS-CCSX



ELS-CTDX



ELS-CTMX



ELS-CTSX



WG-CCMX

- **WG-CCMX**
- **WG-CCSX**
- **WG-CCDX**
- **WG-CTMX**
- **WG-CTSX**



WG-CCSX



WG-CCDX



WG-CTMX



WG-CTSX

AREA WALLIGHTER ACCESSORIES

REFER TO ACCESSORY INDEX TO MATCH ACCESSORY WITH PRODUCT.
ILLUSTRATIONS SHOWN ARE TYPICAL REPRESENTATIONS.

INTERNAL GLARE CONTROL SHIELD

- **IGS-WL175**



IGS-WL175

MOUNTING BRACKET (For PE)

- **MB-PECTL**
  With locking-type receptacle for use with photoelectric control (Remove bracket to use with conduit.)



MB-PECTL

PHOTOELECTRIC CONTROL

- **PEC0TL**
  120, 208, 240, 277, Multivolt—Turn and Lock
- **PEC1TL**
  120 volt—Turn and Lock
- **PEC5TL**
  480 volt—Turn and Lock



PEC

PHOTOELECTRIC CONTROL KIT

- **PEK-120**
  120 volt—for field installation
- **PEK-120SBW**
  120 volt—for field installation
- **PEK-240**
  208 volt, 240 volt—for field installation
- **PEK-277**
  277 volt—for field installation
- **PEK-347**
  347 volt —for field installation



PEK

POLE TOP ADAPTER (For PE Receptacle)

- **PTA-PECTL**



PTA-PECTL



AREA WALLIGHTER ACCESSORIES

REFER TO ACCESSORY INDEX TO MATCH ACCESSORY WITH PRODUCT.
ILLUSTRATIONS SHOWN ARE TYPICAL REPRESENTATIONS.

POLYCARBONATE VANDAL SHIELD

- **LVS-V2FWP** Prismatic
- **LVS-P4F** Flat Stipple V2FW
- **LVS-W40L001**
  General Duty
  Cannot use with Top Visor (**TVAL-W40L**, **TVDB-W40L**, **TVGR-W40L**)
- **LVS-W40L002**
  Heavy Duty
  Cannot use with Top Visor (**TVAL-W40L**, **TVDB-W40L**, **TVGR-W40L**)
- **LVS-WMTS**
- **LVS-WM7**
  May be used with Top and Side visor (**TSVDB-WM7**) or Wire Guard (**WG-WM7**)



LVS-W40L001
LVS-W40L002



LVS-WM7

SHORTING CAP (With standard three-prong plug)

- **SCCL-PECTL**



SCCL-PECTL

TOP AND SIDE VISOR

- **TSVDB-V2F**
  Dark Bronze for Flat Glass
- **TSVDB-WM7**
  Aluminum painted Dark Bronze. May be used with wire guard (**WG-WM7**) or polycarbonate vandal shield (**LVS-WM7**).



TSVDB-WM7



TSVDB-V2F

AREA WALLIGHTER ACCESSORIES

REFER TO ACCESSORY INDEX TO MATCH ACCESSORY WITH PRODUCT.
ILLUSTRATIONS SHOWN ARE TYPICAL REPRESENTATIONS.

TOP VISOR

- **TVAL-W40L**
  Aluminum
- **TVDB-W40L**
  Dark Bronze
- **TVGR-W40L**
  Gray



TVAL-W40L
TVDB-W40L
TVGR-W40L

WIRE GUARD

- **WG-P4F**
  Use with optical choice “S”, flat glass only
- **WG-V2FWP**
  Use with optical choice “P”, prismatic square refractor only
- **WG-W40L**
- **WG-WMNT**
- **WG-WM7**
  Stainless steel. May be used with Top and Side Visor (**TSVDB-WM7**)
  Can be used with polycarbonate vandal shield (**LVS-WM7**)



WG-W40L



WG-WM7